



# TETRA O-Sol Surfactant Wash

Displacement Chemical

PRODUCT DATA SHEET

TETRA FLUIDS & FILTRATION PRODUCTS AND SERVICES

## General Description

Comprising a proprietary blend of surfactants, TETRA O-Sol surfactant wash is designed to disperse and remove oil based and synthetic muds. It is also used in the formulation of TDSP II O-Sol surfactant wash spacers.

## Features and Benefits

- TETRA O-Sol is compatible with clear brine fluids.
- TETRA O-Sol is fast acting requiring a minimal dosage and minimal contact time.

## Application Information

TETRA O-Sol is used mostly in the conditioning of cased wellbores to remove oily and greasy film or mud filter cake prior to displacing the well to completion fluid. During pickling operations, TETRA O-Sol can be used to remove pipe dope and grease. It can also be used in conjunction with TETRA Sol to remove paraffin build up.

## Safety and Handling

Avoid skin and eye contact, inhalation or ingestion. For skin contact, wash with soap and large quantities of water. For eye contact, flush with large quantities of water. Use properly designed respirator if adequate ventilation is not available. Refer to the Material Safety Data Sheet for specific details.

PHYSICAL PROPERTIES	
Appearance	White to off-white liquid
Specific Gravity	0.92
Solubility	Moderately soluble in water at 25°F

PACKAGING INFORMATION
5 gallon pail, 32 pails per pallet 55 gallon drum, 4 drums per pallet

RECOMMENDED TREATMENT
TETRA O-Sol volumes are dependent on well dimensions. However, a minimum volume equal to 1000 feet of annulus should always be used. Consult a TETRA representative for specific recommendations.

*Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. Further, nothing contained herein shall be taken as a recommendation to manufacture or use any of the herein described materials or processes in violation of existing or future patents.*

281.367.1983

TETRA Technologies, Inc.  
25025 Interstate 45 North, Suite 600  
The Woodlands, TX 77380

www.tetrathec.com