



TETRACarb Coarse

SOLIDS BASED PILLS

Overview

A select grind-sized calcium carbonate (CaCO_3) bridging agent, TETRACarb Coarse solids based pill has a particle size distribution ranging from 700 to 6000 microns and a D_{50} value of 2000 microns.

Features and Benefits

- Engineered mean particle size range from 700 to 6000 μm
- Effective bridging, especially when coupled with the TETRA SmartSeal™ bridging agent software
- Easily solubilized with acids
- Suitable for use in oil- and water-based fluids
- High-quality materials to minimize formation damage
- Essentially inert for minimal fluid property effects

Applicable Information

TETRACarb Coarse is used as needed in pills, usually 30-50 ppb, to bridge across highly permeable or fractured zones. Approximately 30% of the CARB added should have a particle size at least one third of the pore throat size of the formation diameter.

Safety and Handling

Avoid skin and eye contact, inhalation or ingestion. For skin contact, wash with soap and large quantities of water. For eye contact, flush with large quantities of water. Use properly designed respirator, if adequate ventilation is not available. Refer to the Safety Data Sheet for specific details.

Technical Specifications

Physical Properties

Appearance	White powder
Specific gravity	2.7 - 2.9
Water Solubility	Negligible
Acid Solubility	Soluble in acetic, hydrochloric and nitric acids

Packaging Information

50 lb sacks
25 kg sacks

Recommended Treatment

Viscosify makeup brine with the appropriate concentration of either Vis HEC Viscosifier, Vis L Viscosifier or Vis L HB Viscosifier. After viscosity develops add calcium carbonate slowly through the rig hopper and agitate gently to promote uniform mixing.

Because use conditions and applicable laws may differ from one location to another and may change with time, Customer is responsible for determining whether products and the information in this document are appropriate for Customer's use and for ensuring that Customer's workplace and disposal practices are in compliance with applicable laws and other governmental enactments. Seller assumes no obligation or liability for the information in this document. NO WARRANTIES ARE GIVEN; ALL IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE ARE EXPRESSLY EXCLUDED. Further, nothing contained herein shall be taken as a recommendation to manufacture or use any of the herein described materials or processes in violation of existing or future patents.